

UTILITY PATENT APPLICATION TRANSMITTAL

☐ DUPLICATE

Address to:
Assistant Commissioner for Patents
Box PATENT APPLICATION
Washington, DC 20231


Attorney Docket No. EM/LIU/5784
First Named Inventor (or Identifier) Jen-Chi LIU
Total Pages 41

Transmitted herewith is a patent application under 37 CFR 1.53(b).

Entitled: VOICE OVER IP MOBILITY IN IP/CELLULAR NETWORKS INTERWORKING

- ☒ 1. Submitted herewith are the following:
- 12 pages of specification, including claims and Abstract.
 - 3 sheets of **FORMAL** drawings.
 - 12 claims.
 - 1 Oath/Declaration signed by each inventor.
 - 1 certified copy of Taiwanese appl #89108586, filed May 5, 2000. Priority is claimed.
 - 1 Assignment of the invention, Cover Sheet, and payment of the \$40.00 recordal fee.
 - 1 check in the amount of \$730.00 including any assignment recordal fee.
- ☒ 2. The Commissioner is authorized to credit any overpayment and charge any deficiency in any fees required under 37 CFR 1.16 and/or 1.17, to Deposit Account No. 02-0200.
- ☐ 3. Insert before the first sentence of the specification: -- This application claims the benefit of provisional application number _____ filed _____.
- ☐ 4. Insert before the first sentence of the specification: -- This application is a Continuation-in-part of nonprovisional application number _____ filed _____.
- ☐ 5. Other: _____

THE FILING FEE IS CALCULATED AS FOLLOWS:

Total Claims:	12	- 20 =	0	Basic Fee:	\$690.00
Independent Claims:	2	- 3 =	0	X \$18 =	0.00
				X \$78 =	0.00
Correspondence Address: BACON & THOMAS, PLLC 625 Slaters Lane, 4 th Floor Alexandria, VA 22314-1176				Multiple Dependent Claim (add \$260.00):	0.00
				Subtotal:	690.00
				50% Reduction if Small Entity Status:	0.00
Phone: 703-683-0500		Fax: 703-683-1080		Total:	690.00
Date:	Name:		Signature:		Reg. No.
June 28, 2000	Eugene Mar				25,893

(29Dec1999)

jc803 U.S. PTO
06/29/00

09606248 062900

jc851 U.S. PTO
09/606248

06/29/00

VOICE OVER IP MOBILITY IN IP/CELLULAR NETWORKS

INTERWORKING

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The present invention relates to the field of network interworking and, more particularly, to a method and system for providing mobile voice communication via the Internet and cellular networks.

2. Description of Related Art

Internet telephony, also known as voice over Internet protocol
10 (abbreviated as voice over IP, or simply VoIP), is provided to deliver real time, two-way, synchronous voice traffic over the Internet or corporate Intranets. Furthermore, because of the increasing demand of mobile communication, the VoIP mobility has become an important issue. One of the existing activities in the international standards bodies towards VoIP
15 mobility is the ITU-T Study Group (SG) 16 H.323 Mobile Annex, which addresses mobility issues in layer 2, timers, header compression, the H.323 system architecture, terminal mobility, user mobility and service mobility, so as to provide mobile voice communication over internet.

FIG. 3 shows a typical infrastructure of a hybrid IP/Cellular network
20 and its major components. Assume that a mobile host 321 in a cellular network 32 would like to call a corresponding mobile host 331 in another cellular network 33. Conventionally, the call connection is established by connecting the mobile host 321 to an associated mobile switching center (MSC) 324 via a base station (BS) 322 and a base station controller (BSC)
25 323, so as to connect to the public switch telephone network (PSTN) 35. The call connection path is further directed to a mobile switching center 334 of the cellular network 33, and thus to the mobile host 331 via a base

station controller 333 and a base station 332. Therefore, the call connection path among those networks can be indicated as MSC-PSTN-MSC. Furthermore, the H.323 gateway (GW) 331 in the Internet 31 performs signaling conversion, and hence allows the call to be operated across
5 different cellular networks 32 and 33. Under the current version of H.323, the signals are relayed through the PSTN 35 to the H.323 gateway 311. Therefore, the interoperability to cellular networks defined in the current H.323 standard can be depicted by the path of MSC-PSTN-GW-PSTN-MSC. This is inefficient because the paths have to go through the circuit-switching PSTN 35, which results in the call occupying too much
10 communication bandwidth. As a result, the communication cost is relatively high.

To solve the aforementioned problem, one would like to direct the paths through the packet-switching Internet 31, instead of the PSTN 35.
15 However, this is not applicable, as the H.323 standard can not satisfy the mobility requirement of the mobile communication. For example, when the mobile host 321 roams from the MSC area controlled by the mobile switching center 324 to another MSC area controlled by a mobile switching center in the cellular network 33, the call connection will be
20 broken, as the H.323 standard does not support the required handoff procedure. Therefore, there is a need for the above mobile voice communication to be improved.

SUMMARY OF THE INVENTION

One object of the present invention is to provide a mobile voice
25 communication method that utilizes the existing communication standard to achieve a handoff procedure in the Internet, so as to effectively offer VoIP mobility support.

Another object of the present invention is to provide a mobile voice communication system that simply utilizes the existing network components to effectively offer VoIP mobility support.

According to one aspect, the present invention which achieves the
5 objects relates to a mobile voice communication method for enabling a mobile host to proceed a voice call with a communication terminal via Internet and cellular networks. The mobile host is connected to the communication terminal through a first mobile switching center of the cellular network, a first gateway at a near end of the Internet, and a second
10 gateway at a far end of the Internet. When the mobile host roams from an area controlled by the first mobile switching center to an area controlled by a second mobile switching center, the method compares the first gateway that is connected to the first mobile switching center with a third gateway that is connected to the second mobile switching center. If the comparison
15 result indicates that the third gateway and the first gateway are different, the third gateway invokes a call transfer procedure to the first gateway to establish a connection between the second gateway and the third gateway, and release a connection between the first gateway and the second gateway.

According to another aspect, the present invention which achieves the
20 objects relates to a mobile voice communication system for enabling a mobile host to proceed a voice call with a communication terminal via Internet and cellular networks. The system has a plurality of mobile switching centers provided by the cellular network for enabling the mobile
25 host to establish a communication connection. The system further has a plurality of gateways provided by the Internet for connecting to the mobile switching centers. The mobile host is connected to the communication

terminal through a first mobile switching center of the cellular network, a first gateway at a near end of the Internet, and a second gateway at a far end of the Internet. When the mobile host roams from an area controlled by the first mobile switching center to an area controlled by a second mobile switching center, and the first gateway that is connected to the first mobile switching center is different from a third gateway that is connected to the second mobile switching center, the third gateway invokes a call transfer procedure to the first gateway, so as to establish a connection between the second gateway and the third gateway, and release a connection between the first gateway and the second gateway.

Other objects, advantages, and novel features of the invention will become more apparent from the following detailed description when taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 schematically illustrates a mobile voice communication system in accordance with the present invention for establishing call connections;

FIG. 2 is the message flow in accordance with the mobile voice communication method of the present invention; and

FIG. 3 schematically illustrates a typical infrastructure of a hybrid IP/Cellular network and its major components.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

With reference to FIG. 1, there is shown a mobile voice communication system in accordance with the present invention for establishing call connections. As shown, a mobile host 11 is connected to another mobile host 16 or other communication terminals via the Internet 12 for proceeding voice communication. The mobile host 11 is located in a MSC area controlled by a MSC 13 of a cellular network, and is connected

to a MSC 14 associated with the mobile host 16 through the MSC 13, a gateway 121 at a near end of the Internet 12, and a gateway 122 at a far end of the Internet 12, so as to establish a call connection for the voice communication.

5 When the mobile host 11 is roaming from the MSC area controlled by the MSC 13 to that by a MSC 15, a location update is performed, as shown in FIG. 2. First, as in a regular roaming procedure, the mobile host 11 performs a registration process to the MSC 15 and then sends a location update request, denoted by Loc-Update, to the MSC 15, so as to update the
10 location information of the mobile host 11 stored in the location register (home location register / visitor location register, HLR/VLR) 151 of the MSC 15.

 Upon receipt of the location update request, the MSC 15 has to execute a gateway verification procedure to compare its directly connected
15 gateway 123 in the Internet 12 with the gateway 121 associated with the mobile host 11 stored in the location register 131 of the MSC 13. If both are identical, it means that the mobile host 11 still stays in the area associated with the same gateway, and no extra operation other than regular location update for mobile communication is required to keep the voice
20 communication in connection.

 If the comparison result indicates that the gateway 123, which directly connected to the MSC 15, is different from the gateway 121, a handoff procedure must be performed in the Internet to keep the voice communication in connection. To initiate the handoff procedure, the MSC
25 15 sends a location update indication, denoted by Loc-Update, with the information of the previous gateway 121 to the directly associated gateway 123. The gateway 123 then initiates RRQ/RCF (Registration ReQuest /

Registration ConFirmation) and ARQ/ACF (Admission ReQuest / Admission ConFirmation) exchanges with a gatekeeper 127, if the gatekeeper 127 is operatively connected to the gateway 123, so as to register the information for establishing call connection and acquire the
5 required resources.

The handoff procedure is achieved in such a manner that the gateway 123 sends a facility message, denoted by Facility(ctInitiate.Invoke), for invoking a call transfer supplementary service to the previous gateway 121 of the mobile host 11. Upon receipt of this facility message, the gateway
10 121 starts a call transfer procedure to the gateway 122 at the far end, asking for a call transfer to the gateway 123. That is, the gateway 121 sends a facility message with call transfer initiate invocation, as denoted by Facility(ctInitiate.Invoke), to the gateway 122. Upon receipt of this facility message, the gateway 122 sends a setup message with call transfer setup
15 invocation, as denoted by Setup(ctSetup.Invoke), to the gateway 123, so as to establish a call connection toward the gateway 123. The gateway 123 thus returns a connect message with call transfer result , as denoted by Connect(ctSetup.ReturnResult), to the gateway 122, thereby establishing a call connection between the gateways 122 and 123. Furthermore, the
20 gateway 122 in turn issues a release complete message with call transfer return result, as denoted by ReleaseComplete(ctInitiate.Returnresult), back to the gateway 121, indicating that the call transfer has succeeded, thereby releasing the connection between the gateway 121 and 122. Upon receipt of the release complete message, the gateway 121 forwards the received
25 release complete message back to the gateway 13 to finish the requested call transfer.

Finally, the gateway 121 initiates DRQ/DCF (Disengage ReQuest /

Disengage ConFirmation) and URQ/UCF (Unregister ReQuest / Unregister ConFirmation) exchanges with a gatekeeper 125 operatively connected thereto, releasing the reserved resources and completing the connection handoff.

5 In view of the foregoing, it is appreciated that the method and system in accordance with the present invention can provide the handoff function in the H.323-compliant Internet by utilizing the call transfer supplementary service of the existing communication standard. Therefore, only the existing network components are required to effectively offer the VoIP
10 mobility, and a mobile host is able to move freely, while keeping a voice connection with a communication terminal without suffering a broken connection problem. Furthermore, because the communication path does go through the PSTN, the communication cost can be reduced significantly.

15 Although the present invention has been explained in relation to its preferred embodiment, it is to be understood that many other possible modifications and variations can be made without departing from the spirit and scope of the invention as hereinafter claimed.

WHAT IS CLAIMED IS:

1. A mobile voice communication method for enabling a mobile host to proceed a voice call with a communication terminal via Internet and cellular networks, said mobile host being connected to said communication
5 terminal through a first mobile switching center of the cellular network, a first gateway at a near end of the Internet, and a second gateway at a far end of the Internet, said method comprising the steps of:

comparing, when said mobile host roams from an area controlled by said first mobile switching center to an area controlled by a second mobile
10 switching center, said first gateway that is connected to said first mobile switching center with a third gateway that is connected to said second mobile switching center; and

invoking, if said third gateway and said first gateway are different, a call transfer procedure from said third gateway to said first gateway to
15 establish a connection between said second gateway and said third gateway, and release a connection between said first gateway and said second gateway.

2. The mobile voice communication method as claimed in claim 1, wherein, before initiating said call transfer procedure, said second mobile
20 switching center sends a location update indication with information of said first gateway to said third gateway for updating location information.

3. The mobile voice communication method as claimed in claim 2, wherein said third gateway is operatively connected to a gatekeeper, and, when receiving said location update indication, said third gateway initiates
25 registration request and confirmation, and admission request and confirmation exchanges with said gatekeeper.

4. The mobile voice communication method as claimed in claim 1,

wherein said call transfer procedure is invoked by said third gateway in a facility message to said first gateway.

5. The mobile voice communication method as claimed in claim 4, wherein said call transfer procedure comprises:

5 said first gateway sending a facility message with call transfer initiate invocation to said second gateway;

 said second gateway sending a setup message with call transfer setup invocation to said third gateway when receiving said facility message;

 said third gateway returning a connect message with call transfer
10 result to said second gateway;

 said second gateway issuing a release complete message with call transfer return result to said first gateway; and

 said first gateway forwarding said release complete message to said third gateway when receiving said release complete message.

15 6. The mobile voice communication method as claimed in claim 5, wherein said first gateway is operatively connected to a gatekeeper, and, when said call transfer procedure is completed, said first gateway initiates disengage request and confirmation, and unregister request and confirmation exchanges with said gatekeeper.

20 7. The mobile voice communication method as claimed in claim 1, wherein, if said third gateway and said first gateway are identical, a regular location update procedure for mobile communication is performed.

 8. A mobile voice communication system for enabling a mobile host to proceed a voice call with a communication terminal via Internet and
25 cellular networks, comprising:

 a plurality of mobile switching centers, provided by the cellular network for enabling said mobile host to establish a call connection; and

a plurality of gateways, provided by the Internet for connecting to the mobile switching centers,

wherein said mobile host is connected to said communication terminal through a first mobile switching center of the cellular network, a first gateway at a near end of the Internet, and a second gateway at a far end of the Internet, and when said mobile host roams from an area controlled by said first mobile switching center to an area controlled by a second mobile switching center, and said first gateway that is connected to said first mobile switching center is different from a third gateway that is connected to said second mobile switching center, said third gateway invokes a call transfer procedure to said first gateway, so as to establish a connection between said second gateway and said third gateway, and release a connection between said first gateway and said second gateway.

9. The mobile voice communication system as claimed in claim 8, wherein, before initiating said call transfer procedure, said second mobile switching center sends a location update indication with information of said first gateway to said third gateway for updating location information.

10. The mobile voice communication system as claimed in claim 9, wherein said third gateway is operatively connected to a gatekeeper, and, when receiving said location update indication, said third gateway initiates registration request and confirmation, and admission request and confirmation exchanges with said gatekeeper.

11. The mobile voice communication system as claimed in claim 8, wherein said call transfer procedure is invoked by said third gateway in a facility message to said first gateway.

12. The mobile voice communication system as claimed in claim 11, wherein said first gateway is operatively connected to a gatekeeper, and,

when said call transfer procedure is completed, said first gateway initiates disengage request and confirmation, and unregister request and confirmation exchanges with said gatekeeper.

006290" 84290960

ABSTRACT OF THE DISCLOSURE

A mobile host is connected to a communication terminal through a first mobile switching center of a cellular network, a first gateway at a near end of the Internet, and a second gateway at a far end of the Internet. When
5 the mobile host roams from an area controlled by the first mobile switching center to an area controlled by a second mobile switching center, a comparison is done between the first gateway connected to the first mobile switching center and a third gateway that is connected to the second mobile switching center. If the third gateway and the first gateway are different,
10 the third gateway invokes a call transfer procedure to the first gateway to establish a connection between the second gateway and the third gateway, and release a connection between the first gateway and the second gateway.

006297" 84290960




FIG.1




FIG.3 PRIOR ART

DECLARATION FOR PATENT APPLICATION AND APPOINTMENT OF ATTORNEY

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name; I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention (Design, if applicable) entitled:

"Voice Over IP Mobility in IP/Cellular Networks Interworking"

the specification of which: (check one)

☒ is attached hereto

☐ was filed on:

as Application Serial No.:

and (if applicable) was amended on:

☐ was filed on:

as International Application (PCT) No.:

and (if applicable) was amended on:

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in *Title 37, Code of Federal Regulations, 1.56*. I hereby claim foreign priority benefits under *Title 35, United States Code 119* of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

PRIOR FOREIGN APPLICATION(S)			PRIORITY CLAIMED	
Number	Country	Day/Month/Year Filed	Yes	No
89108586	Taiwan R.O.C.	05/05/2000	X	

I hereby claim the benefit under *Title 35, United States Code, § 120* of any United States application(s) or PCT international application(s) designating The United States of America listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of *Title 35, United States Code, § 112*, I acknowledge the duty to disclose information which is material to patentability as defined in *Title 37, Code of Federal Regulations, § 1.56* which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Application No.	Filing Date	Status - Patented, Pending or Abandoned

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under *section 1001 of title 18 of the United States Code* and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF Attorney: I (We) hereby appoint as my (our) attorneys, with full powers of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: J. Ernest Kenney, Reg. No. 19,179; Eugene Mar. Reg. No. 25,893; Richard E. Fichter, Reg. No. 26,382; Charles R. Wolfe, Jr., Reg. No. 28,680; Thomas J. Moore, Reg. No. 28,974; Joseph DeBenedictis, Reg. No. 28,502; Benjamin E. Urcia, Reg. No. 33,805; Chung C. Chen, Reg. No. 31,725, and I(we) authorize my(our) attorneys to accept and follow instructions from **WOOD & WU** regarding any matter related to the preparation, examination, grant and maintenance of this application, any continuation, continuation-in-part or divisional based thereon, and any patent resulting therefrom, until I(we) or my(our) assigns withdraw this authorization in writing.

Send correspondence to: BACON & THOMAS, PLLC
625 Slaters Lane - 4th Floor
Alexandria, VA 22314-1176

Telephone Calls to:
(703) 683-0500

Full name of first or sole inventor Jen-chi Liu	Citizenship Taiwan, R.O.C.
Residence Address 19-4, No. 68, Da-Xue Rd., GuangMin, East Area, Hsinchu City, Taiwan R. O. C.	Post Office Address <input checked="" type="checkbox"/> Same as Residence
Date 06/11/2000	Signature Jen chi Liu

☒ See Next Page For additional inventors

005290" 872966

DECLARATION FOR PATENT APPLICATION AND APPOINTMENT OF ATTORNEY

Page Two

Full name of joint inventor Wanjiun Liao	Citizenship Taiwan, R.O.C.
Residence Address Room No. 312, No. 23, Lane 85, QingFong, Da-Ann Area, Taipei City, Taiwan R. O. C.	Post Office Address <input checked="" type="checkbox"/> Same as Residence
Date 6/17/2000	Signature <i>Wanjiun Liao</i>

Full name of joint inventor	Citizenship
Residence Address	Post Office Address <input checked="" type="checkbox"/> Same as Residence
Date	Signature

Full name of joint inventor	Citizenship
Residence Address	Post Office Address <input checked="" type="checkbox"/> Same as Residence
Date	Signature

Full name of joint inventor	Citizenship Taiwan, R.O.C.
Residence Address	Post Office Address <input checked="" type="checkbox"/> Same as Residence
Date	Signature

Full name of joint inventor	Citizenship
Residence Address	Post Office Address <input checked="" type="checkbox"/> Same as Residence
Date	Signature